

LED FLOOD LIGHTS

SPECIFICATIONS

- Long-distance lighting provides strong and concentrated light, suitable for illuminating large-area places such as buildings, squares, and parks.
- High brightness, waterproof and dustproof, high energy efficiency, environmentally friendly
- High temperature resistance, cold resistance and corrosion resistance
- Adjustable lamp heads or brackets allow the angle and direction of light to be adjusted to meet the lighting requirements of a specific area.



Illumination of commercial spaces

LED FLOOD LIGHTS



SOLAR FLOOD LIGHTS



OUTDOOR FLOOD LIGHTS



KOSOON®



The projectors' design features make them ideal for outdoor and large space lighting, providing strong, concentrated light used to highlight and illuminate specific areas.



The orange markings are clickable

BACK ↶

IP **65**
PF **0.9**



SOLAR FLOOD LIGHTS



Power 100W/150W/200W
 PF 0.9
 CCT 4000K/6500K
 CRI ≥ 70
 Dimensions 210x200x17mm
 300X205X17mm
 390x235x17mm
 390x375x17mm
 IP protection IP65
 Warranty 3 years
 Certification CE, RoHS

SKU	Power	CTT	Lumen	Solar cell capacity	Solar panel power	Solar panel size
FL013	-	-	-	-	-	-
FL014	50W	4000k	375lm	5000mAh	5V 6W	210x200x17mm
FL016	50W	6500k	375lm	5000mAh	5V 6W	210x200x17mm
FL024	100W	4000k	-	10000mAh	5V 10W	300X205X17mm
FL026	100W	6500K	-	10000mAh	5V 10W	300X205X17mm
FL034	200W	4000k	1100lm	15000mAh	5V15W	390x235x17mm
FL036	200W	6500K	1100lm	15000mAh	5V 15W	390x235x17mm
FL044	300W	4000k	-	25000mAh	5V 25W	390x375x17mm
FL046	300W	6500K	-	25000mAh	5V25W	390x375x17mm

The orange markings are clickable

BACK

IP **65**
PF **0.9**



OUTDOOR FLOOD LIGHTS

Lumens 1000lm/3100lm/4800lm
10000lm/14500lm/19000lm
Power 10W/30W/100W/150W/200W
PF 0.9
CCT 6500K
CRI ≥80
Corner 120°
Dimensions 94.5x73.5x20.5mm
147.5x113.5x29mm
187.2x144.2x34.8mm
246.4x189.4x36mm
291.7x226.7x37.8mm
348.4x255.3x40.5mm
Input Voltage 185-256V
IP protection IP65
Warranty 3 years
Certification CE, RoHS

SKU	Power	CTT	Lumen	Dimensionis(mm)
FL214	10W	4000k	1000lm	94.5x73.5x20.5mm
FL216	10W	6500k	1000lm	94.5x73.5x20.5mm
FL224	30W	4000k	3100lm	147.5x113.5x29mm
FL226	30W	6500K	3100lm	147.5x113.5x29mm
FL234	50W	4000k	4800lm	187.2x144.2x34.8mm
FL236	50W	6500K	4800lm	187.2x144.2x34.8mm
FL244	100W	4000k	10000lm	246.4x189.4x36mm
FL246	100W	6500K	10000lm	246.4x189.4x36mm
FL254	150W	4000k	14500lm	291.7x226.7x37.8mm
FL256	150W	6500K	14500lm	291.7x226.7x37.8mm
FL264	200W	4000k	19000lm	348.4x255.3x40.5mm
FL266	200W	6500K	19000lm	348.4x255.3x40.5mm

The orange markings are clickable

BACK 



Outdoor flood lights



Solar flood lights